


Komatsu PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift BP
Unlocked Rail Cant -150mm



Units in Tonnes

1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL:

SERIAL No:

EQUIPMENT:

COMMENT:

Komatsu PC138

F50106

1.96m + 3.25m + 2.50m

REFERENCE:


DATE OF CHART:

SAFETY FACTOR:

15-Dec-2025

67.0%

Komatsu PC138
Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift BP
Unlocked Rail Cant -50mm




Units in Tonnes

1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	15-Dec-2025 67.0%
	F50106	DATE OF CHART:	
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	

Komatsu PC138
Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift BP
Unlocked Rail Cant 50mm




Units in Tonnes

1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	15-Dec-2025 67.0%
	F50106	DATE OF CHART:	
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	

Komatsu PC138
Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift BP
Unlocked Rail Cant 150mm




Units in Tonnes

1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	15-Dec-2025 67.0%
	F50106	DATE OF CHART:	
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	

Komatsu PC138
Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant -150mm




Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	15-Dec-2025 90.0%
	F50106	DATE OF CHART:	
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	

Komatsu PC138
Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant -50mm



MACHINE & MODEL:	Komatsu PC138	REFERENCE:	
SERIAL No:	F50106	DATE OF CHART:	15-Dec-2025
EQUIPMENT:	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	90.0%
COMMENT:			

Komatsu PC138
Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant 50mm




Units in Tonnes

1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138 F50106 1.96m + 3.25m + 2.50m		REFERENCE: DATE OF CHART: SAFETY FACTOR:	15-Dec-2025 90.0%

Komatsu PC138
Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant 150mm




Units in Tonnes

- 1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138 F50106 1.96m + 3.25m + 2.50m		REFERENCE: DATE OF CHART: SAFETY FACTOR:	15-Dec-2025 90.0%

Komatsu PC138
Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Level Ground Height 2m Lift BP
Road




MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	15-Dec-2025 71.0%
	F50106	DATE OF CHART:	
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	

Komatsu PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper

Gradient 1 in -25 Height 2m Lift BP

Unlocked Rail Cant -150mm - Tandem Lift




MACHINE & MODEL:	Komatsu PC138	REFERENCE:	
SERIAL No:	F50106	DATE OF CHART:	15-Dec-2025
EQUIPMENT:	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	44.0%
COMMENT:			

Komatsu PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper

Gradient 1 in -25 Height 2m Lift BP

Unlocked Rail Cant -50mm - Tandem Lift




Units in Tonnes

1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL:	Komatsu PC138	REFERENCE:	
SERIAL No:	F50106	DATE OF CHART:	15-Dec-2025
EQUIPMENT:	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	44.0%
COMMENT:			

Komatsu PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift BP
Unlocked Rail Cant 50mm - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	15-Dec-2025 44.0%
	F50106	DATE OF CHART:	
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	

Komatsu PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper

Gradient 1 in -25 Height 2m Lift BP

Locked Rail Cant -150mm - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL:

SERIAL No:

EQUIPMENT:

COMMENT:

Komatsu PC138

F50106

1.96m + 3.25m + 2.50m

REFERENCE:

DATE OF CHART:


SAFETY FACTOR:

15-Dec-2025

59.0%

Komatsu PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant -50mm - Tandem Lift




Units in Tonnes

1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	15-Dec-2025 59.0%
	F50106	DATE OF CHART:	
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	

Komatsu PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant 50mm - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	15-Dec-2025 59.0%
	F50106	DATE OF CHART:	
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	

Komatsu PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper

Gradient 1 in -25 Height 2m Lift BP

Locked Rail Cant 150mm - Tandem Lift




Units in Tonnes

1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	15-Dec-2025 59.0%
	F50106	DATE OF CHART:	
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	

Komatsu PC138
Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Level Ground Height 2m Lift BP
Road - Tandem Lift



MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	15-Dec-2025 47.0%
	F50106	DATE OF CHART:	
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	


**Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Unlocked Rail Cant -150mm**



MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	
	F50106	DATE OF CHART:	15-Dec-2025
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	67.0%

Komatsu PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Unlocked Rail Cant -50mm




Units in Tonnes

1 2 3 4 5

MACHINE & MODEL:	Komatsu PC138	REFERENCE:	
SERIAL No:	F50106	DATE OF CHART:	15-Dec-2025
EQUIPMENT:	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	67.0%
COMMENT:			

Komatsu PC138
Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Unlocked Rail Cant 50mm




Units in Tonnes

1 2 3 4 5

MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	15-Dec-2025 67.0%
	F50106	DATE OF CHART:	
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	

Komatsu PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Unlocked Rail Cant 150mm




Units in Tonnes

1 2 3 4 5

MACHINE & MODEL:	Komatsu PC138	REFERENCE:	
SERIAL No:	F50106	DATE OF CHART:	15-Dec-2025
EQUIPMENT:	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	67.0%
COMMENT:			

Komatsu PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Locked Rail Cant -150mm




Units in Tonnes

1 2 3 4 5

MACHINE & MODEL:	Komatsu PC138	REFERENCE:	
SERIAL No:	F50106	DATE OF CHART:	15-Dec-2025
EQUIPMENT:	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	90.0%
COMMENT:			

Komatsu PC138


Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Locked Rail Cant -50mm



MACHINE & MODEL:	Komatsu PC138	REFERENCE:	
SERIAL No:	F50106	DATE OF CHART:	15-Dec-2025
EQUIPMENT:	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	90.0%
COMMENT:			

Komatsu PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Locked Rail Cant 50mm




Units in Tonnes

1 2 3 4 5

MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	15-Dec-2025 90.0%
	F50106	DATE OF CHART:	
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	

Komatsu PC138


Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Locked Rail Cant 150mm



Units in Tonnes
1 2 3 4 5

MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	15-Dec-2025 90.0%
	F50106	DATE OF CHART:	
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	


Komatsu PC138
Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Level Ground Height 2m Lift ALP1
Road



MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	15-Dec-2025
	F50106	DATE OF CHART:	
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	

Komatsu PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Unlocked Rail Cant -150mm - Tandem Lift



Units in Tonnes

1 2 3 4 5

MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	15-Dec-2025 44.0%
	F50106	DATE OF CHART:	
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	

**Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Unlocked Rail Cant -50mm - Tandem Lift**



MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	
	F50106	DATE OF CHART:	15-Dec-2025
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	44.0%


**Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Unlocked Rail Cant 50mm - Tandem Lift**



MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	
	F50106	DATE OF CHART:	15-Dec-2025
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	44.0%

Komatsu PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Unlocked Rail Cant 150mm - Tandem Lift




Units in Tonnes

1 2 3 4 5

MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	15-Dec-2025 44.0%
	F50106	DATE OF CHART:	
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	

Komatsu PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Locked Rail Cant -150mm - Tandem Lift




Units in Tonnes
1 2 3 4 5

MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	15-Dec-2025 59.0%
	F50106	DATE OF CHART:	
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	

Komatsu PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Locked Rail Cant -50mm - Tandem Lift




Units in Tonnes

1 2 3 4 5

MACHINE & MODEL:	Komatsu PC138	REFERENCE:	
SERIAL No:	F50106	DATE OF CHART:	15-Dec-2025
EQUIPMENT:	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	59.0%
COMMENT:			

Komatsu PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Locked Rail Cant 50mm - Tandem Lift




Units in Tonnes

1 2 3 4 5

MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	15-Dec-2025 59.0%
	F50106	DATE OF CHART:	
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	

Komatsu PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Locked Rail Cant 150mm - Tandem Lift




Units in Tonnes

1 2 3 4 5


MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	15-Dec-2025 59.0%
	F50106	DATE OF CHART:	
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	

Komatsu PC138
Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Level Ground Height 2m Lift ALP1
Road - Tandem Lift



MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	15-Dec-2025 47.0%
	F50106	DATE OF CHART:	
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	

Komatsu PC138
Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift QH
Unlocked Rail Cant -150mm




Units in Tonnes

1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	15-Dec-2025 67.0%
	F50106	DATE OF CHART:	
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	

Komatsu PC138
Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift QH
Unlocked Rail Cant -50mm




Units in Tonnes

1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	15-Dec-2025 67.0%
	F50106	DATE OF CHART:	
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	

Komatsu PC138
Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift QH
Unlocked Rail Cant 50mm




Units in Tonnes

1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	15-Dec-2025 67.0%
	F50106	DATE OF CHART:	
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	

Komatsu PC138
Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift QH
Unlocked Rail Cant 150mm




Units in Tonnes

1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	15-Dec-2025 67.0%
	F50106	DATE OF CHART:	
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	

Komatsu PC138
Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift QH
Locked Rail Cant -150mm




Units in Tonnes

- 1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138 F50106 1.96m + 3.25m + 2.50m		REFERENCE: DATE OF CHART:	15-Dec-2025
			SAFETY FACTOR:	
				90.0%

Komatsu PC138
Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift QH
Locked Rail Cant -50mm




Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	15-Dec-2025 90.0%
	F50106	DATE OF CHART:	
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	

Komatsu PC138
Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift QH
Locked Rail Cant 50mm



MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138 F50106 1.96m + 3.25m + 2.50m		REFERENCE: DATE OF CHART: SAFETY FACTOR:	15-Dec-2025 90.0%

Komatsu PC138
Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift QH
Locked Rail Cant 150mm



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL:
SERIAL No:
EQUIPMENT:
COMMENT:

Komatsu PC138
F50106
1.96m + 3.25m + 2.50m

REFERENCE:
DATE OF CHART:
SAFETY FACTOR:

15-Dec-2025
90.0%

Komatsu PC138
Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Level Ground Height 2m Lift QH
Road




MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	15-Dec-2025
	F50106	DATE OF CHART:	
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	

Komatsu PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper

Gradient 1 in -25 Height 2m Lift QH

Unlocked Rail Cant -150mm - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	15-Dec-2025 44.0%
	F50106	DATE OF CHART:	
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	

Komatsu PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper

Gradient 1 in -25 Height 2m Lift QH

Unlocked Rail Cant -50mm - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL:

SERIAL No:

EQUIPMENT:

COMMENT:

Komatsu PC138

F50106

1.96m + 3.25m + 2.50m

REFERENCE:

DATE OF CHART:

SAFETY FACTOR:

15-Dec-2025

44.0%

**Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift QH
Unlocked Rail Cant 50mm - Tandem Lift**



MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	
	F50106	DATE OF CHART:	15-Dec-2025
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	44.0%


**Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift QH
Unlocked Rail Cant 150mm - Tandem Lift**



MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	
	F50106	DATE OF CHART:	15-Dec-2025
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	44.0%

Komatsu PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift QH
Locked Rail Cant -150mm - Tandem Lift




Units in Tonnes

1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138		REFERENCE:	15-Dec-2025 59.0%
	F50106		DATE OF CHART:	
	1.96m + 3.25m + 2.50m		SAFETY FACTOR:	

Komatsu PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift QH
Locked Rail Cant -50mm - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL:

SERIAL No:

EQUIPMENT:

COMMENT:

Komatsu PC138

F50106

1.96m + 3.25m + 2.50m

REFERENCE:

DATE OF CHART:


SAFETY FACTOR:

15-Dec-2025

59.0%

Komatsu PC138

Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift QH
Locked Rail Cant 50mm - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	15-Dec-2025 59.0%
	F50106	DATE OF CHART:	
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	

**Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Gradient 1 in -25 Height 2m Lift QH
Locked Rail Cant 150mm - Tandem Lift**



MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	
	F50106	DATE OF CHART:	15-Dec-2025
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	59.0%

Komatsu PC138
Max Capacity Contours of Radius(m) Plots 2.5m Dipper
Level Ground Height 2m Lift QH
Road - Tandem Lift



MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PC138	REFERENCE:	15-Dec-2025 47.0%
	F50106	DATE OF CHART:	
	1.96m + 3.25m + 2.50m	SAFETY FACTOR:	