


Komatsu PW160

Max Capacity Contours of Radius(m) Plots 2.1m Dipper

Gradient 1 in -25 Height 2m Lift BP

Unlocked Rail Cant -150mm



Units in Tonnes

1 2 3 4 5 6 7


MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT:	Komatsu PW160	REFERENCE:	18-Oct-2024
	2450	DATE OF CHART:	
	5.15m + 2.1m	SAFETY FACTOR:	
63.0%			

Komatsu PW160

Max Capacity Contours of Radius(m) Plots 2.1m Dipper

Gradient 1 in -25 Height 2m Lift BP


Unlocked Rail Cant -50mm



MACHINE & MODEL:	Komatsu PW160	REFERENCE:	
SERIAL No:	2450	DATE OF CHART:	18-Oct-2024
EQUIPMENT:	5.15m + 2.1m	SAFETY FACTOR:	63.0%
COMMENT:			

Komatsu PW160

Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP
Unlocked Rail Cant 50mm



Units in Tonnes

1 2 3 4 5 6 7

MACHINE & MODEL:	Komatsu PW160	REFERENCE:	
SERIAL No:	2450	DATE OF CHART:	18-Oct-2024
EQUIPMENT:	5.15m + 2.1m	SAFETY FACTOR:	63.0%
COMMENT:			

