



**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Gradient 1 in -25 Height 2m Lift BP**  
**Unlocked Rail Cant -150mm**




<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	67.0%
<b>COMMENT:</b>			

**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Gradient 1 in -25 Height 2m Lift BP**  
**Unlocked Rail Cant -50mm**



<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	67.0%
<b>COMMENT:</b>			

**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Gradient 1 in -25 Height 2m Lift BP**  
**Unlocked Rail Cant 50mm**




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	67.0%
<b>COMMENT:</b>			

**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Gradient 1 in -25 Height 2m Lift BP**  
**Unlocked Rail Cant 150mm**




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	67.0%
<b>COMMENT:</b>			

**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Gradient 1 in -25 Height 2m Lift BP**  
**Locked Rail Cant -150mm**




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	90.0%
<b>COMMENT:</b>			

**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Gradient 1 in -25 Height 2m Lift BP**  
**Locked Rail Cant -50mm**




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	90.0%
<b>COMMENT:</b>			

**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Gradient 1 in -25 Height 2m Lift BP**  
**Locked Rail Cant 50mm**




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	90.0%
<b>COMMENT:</b>			

**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Gradient 1 in -25 Height 2m Lift BP**  
**Locked Rail Cant 150mm**




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	90.0%
<b>COMMENT:</b>			



**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Level Ground Height 2m Lift BP**  
**Unlocked Road**




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	71.0%
<b>COMMENT:</b>			

**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Level Ground Height 2m Lift BP**  
**Locked Road**




Units in Tonnes

- 1
- 2
- 3
- 4
- 5


<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	71.0%
<b>COMMENT:</b>			

**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Gradient 1 in -25 Height 2m Lift BP**  
**Unlocked Rail Cant -150mm - Tandem Lift**



<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	45.0%
<b>COMMENT:</b>			

**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Gradient 1 in -25 Height 2m Lift BP**  
**Unlocked Rail Cant -50mm - Tandem Lift**




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	45.0%
<b>COMMENT:</b>			

**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Gradient 1 in -25 Height 2m Lift BP**  
**Unlocked Rail Cant 50mm - Tandem Lift**




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	45.0%
<b>COMMENT:</b>			

**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Gradient 1 in -25 Height 2m Lift BP**  
**Unlocked Rail Cant 150mm - Tandem Lift**



Units in Tonnes


- 1
- 2
- 3
- 4
- 5

<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	45.0%
<b>COMMENT:</b>			

## Komatsu PW118

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift BP**

**Locked Rail Cant -150mm - Tandem Lift**




Units in Tonnes

— 1 — 2 — 3 — 4 — 5

<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	60.0%
<b>COMMENT:</b>			


**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Gradient 1 in -25 Height 2m Lift BP**  
**Locked Rail Cant -50mm - Tandem Lift**



<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	60.0%
<b>COMMENT:</b>			



**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Gradient 1 in -25 Height 2m Lift BP**  
**Locked Rail Cant 50mm - Tandem Lift**




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	60.0%
<b>COMMENT:</b>			

**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Gradient 1 in -25 Height 2m Lift BP**  
**Locked Rail Cant 150mm - Tandem Lift**




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	60.0%
<b>COMMENT:</b>			

**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Level Ground Height 2m Lift BP**  
**Unlocked Road - Tandem Lift**




Units in Tonnes

- 1
- 2
- 3
- 4
- 5


<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	47.0%
<b>COMMENT:</b>			

**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Level Ground Height 2m Lift BP**  
**Locked Road - Tandem Lift**




<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	47.0%
<b>COMMENT:</b>			

**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Gradient 1 in -25 Height 2m Lift QH**  
**Unlocked Rail Cant -150mm**




<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	67.0%
<b>COMMENT:</b>			

**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Gradient 1 in -25 Height 2m Lift QH**  
**Unlocked Rail Cant -50mm**



<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	67.0%
<b>COMMENT:</b>			

**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Gradient 1 in -25 Height 2m Lift QH**  
**Unlocked Rail Cant 50mm**




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	67.0%
<b>COMMENT:</b>			

**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Gradient 1 in -25 Height 2m Lift QH**  
**Unlocked Rail Cant 150mm**




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	67.0%
<b>COMMENT:</b>			



**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Gradient 1 in -25 Height 2m Lift QH**  
**Locked Rail Cant -150mm**




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	90.0%
<b>COMMENT:</b>			

**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Gradient 1 in -25 Height 2m Lift QH**  
**Locked Rail Cant -50mm**




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	90.0%
<b>COMMENT:</b>			

**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Gradient 1 in -25 Height 2m Lift QH**  
**Locked Rail Cant 50mm**




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	90.0%
<b>COMMENT:</b>			

**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Gradient 1 in -25 Height 2m Lift QH**  
**Locked Rail Cant 150mm**




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	90.0%
<b>COMMENT:</b>			

**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Level Ground Height 2m Lift QH**  
**Unlocked Road**




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	71.0%
<b>COMMENT:</b>			

**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Level Ground Height 2m Lift QH**  
**Locked Road**




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	71.0%
<b>COMMENT:</b>			

**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Gradient 1 in -25 Height 2m Lift QH**  
**Unlocked Rail Cant -150mm - Tandem Lift**



Units in Tonnes


- 1
- 2
- 3
- 4
- 5

<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	45.0%
<b>COMMENT:</b>			

## Komatsu PW118

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift QH**


**Unlocked Rail Cant -50mm - Tandem Lift**



<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	45.0%
<b>COMMENT:</b>			



**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Gradient 1 in -25 Height 2m Lift QH**  
**Unlocked Rail Cant 50mm - Tandem Lift**




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	45.0%
<b>COMMENT:</b>			

**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Gradient 1 in -25 Height 2m Lift QH**  
**Unlocked Rail Cant 150mm - Tandem Lift**



Units in Tonnes


- 1
- 2
- 3
- 4
- 5

<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	45.0%
<b>COMMENT:</b>			

## Komatsu PW118

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift QH**

**Locked Rail Cant -150mm - Tandem Lift**




Units in Tonnes

- 1
- 2
- 3
- 4
- 5


<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	60.0%
<b>COMMENT:</b>			

**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Gradient 1 in -25 Height 2m Lift QH**  
**Locked Rail Cant -50mm - Tandem Lift**



<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	60.0%
<b>COMMENT:</b>			

**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Gradient 1 in -25 Height 2m Lift QH**  
**Locked Rail Cant 50mm - Tandem Lift**




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	60.0%
<b>COMMENT:</b>			

## Komatsu PW118

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift QH  
Locked Rail Cant 150mm - Tandem Lift**




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	60.0%
<b>COMMENT:</b>			

**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Level Ground Height 2m Lift QH**  
**Unlocked Road - Tandem Lift**




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	47.0%
<b>COMMENT:</b>			

**Komatsu PW118**  
**Max Capacity Contours of Radius(m) Plots 2.0m Dipper**  
**Level Ground Height 2m Lift QH**  
**Locked Road - Tandem Lift**



Units in Tonnes

- 1
- 2
- 3
- 4
- 5

<b>MACHINE &amp; MODEL:</b>	Komatsu PW118	<b>REFERENCE:</b>	
<b>SERIAL No:</b>	30098	<b>DATE OF CHART:</b>	8-May-2019
<b>EQUIPMENT:</b>	1.91m + 1.98m + 2.00m	<b>SAFETY FACTOR:</b>	47.0%
<b>COMMENT:</b>			